

Deep Groove thin section bBall Bearing


洛阳盟拓轴承科技有限公司
 Louyang Monton Bearing Science&Technology Co.Ltd.

Metric Stainless Steel Type thin section ball bearing



Bearing Number	Dimensions (mm)				Capacities(kg)		Weight (kg)
	Size(mm)		Land Diameters(mm)		Radial(kg)		
	Bore	OD	L1	L2	Static	Dynamic	
K36020CP0	360	400	375	385	8581	3408	2.7
K34020CP0	340	380	355.0	365.0	8144	3312	2.54
K32020CP0	320	360	335.0	345.0	7708	3213	2.42
K30020CP0	300	340	315.0	325.0	7272	3111	2.30
K25020CP0	250	290	265.0	275.0	6108	2821	2.10
K20020CP0	200	240	215.0	225.0	4945	2507	1.60
K19020CP0	190	230	205.0	215.0	4800	2470	1.50
K18020CP0	180	220	195.0	205.0	4508	2383	1.50
K17020CP0	170	210	185.0	195.0	4363	2293	1.40
K16020CP0	160	200	175.0	185.0	4072	2254	1.30
K15020CP0	150	190	165.0	175.0	3781	2161	1.20
K14020CP0	140	180	155.0	165.0	3636	2121	1.15
K13020CP0	130	170	145.0	155.0	3345	2023	1.08
K12020CP0	120	160	135.0	145.0	3200	1982	1.01
K11020CP0	110	150	125.0	135.0	2909	1880	0.94
K10020CP0	100	140	115.0	125.0	2618	1773	0.86
K09020CP0	90	130	105.0	115.0	2473	1730	0.80
K08020CP0	80	120	95.0	105.0	2181	1617	0.72
K07020CP0	70	110	85.0	95.0	2036	1573	0.65
K06020CP0	60	100	75.0	85.0	1745	1452	0.58

Bearing Number	Dimensions □mm□				Capacities□kg□		Weight □kg□
	Size□mm□		Land Diameters□mm□		Radial□kg□		
	Bore	OD	L1	L2	Static	Dynamic	
K05020CP0	50	90	65	75.0	1600	1410	0.51
K02520CP0	25	65	40	50.0	1018	1178	0.34
K36013CP0	360	386	369.7	376.3	5688	1954	1.06
K34013CP0	340	366	349.7	356.3	5365	1889	1.01
K32013CP0	320	346	329.7	336.3	5042	1823	0.95
K30013CP0	300	326	309.7	316.3	4719	1754	0.89
K25013CP0	250	276	259.7	266.3	4008	1598	0.75
K20013CP0	200	226	209.7	216.3	3232	1411	0.61
K19013CP0	190	216	199.7	206.3	3038	1360	58
K18013CP0	180	206	189.7	196.3	2909	1327	0.55
K17013CP0	170	196	179.7	186.3	2780	1294	0.52
K16013CP0	160	186	169.7	176.3	2586	1239	0.49
K15013CP0	150	176	159.7	166.3	2456	1204	0.46
K14013CP0	140	166	149.7	156.3	2327	1169	0.44
K13013CP0	130	156	139.7	146.3	2133	1110	41
K12013CP0	120	146	129.7	136.3	2004	1073	0.38
K11013CP0	110	136	119.7	126.3	1875	1035	0.35
K10013CP0	100	126	109.7	116.3	1681	971	32
K09013CP0	90	116	99.7	106.3	1551	931	0.29
K08013CP0	80	106	89.7	96.3	1358	862	0.26

Bearing Number	Dimensions (mm)				Capacities (kg)		Weight (kg)
	Size (mm)		Land Diameters (mm)		Radial (kg)		
	Bore	OD	L1	L2	Static	Dynamic	
K07013CP0	70	96	79.7	86.3	1228	819	0.24
K06013CP0	60	86	69.7	76.3	1099	775	0.21
K05013CP0	50	76	59.7	66.3	905	697	0.18
K02513CP0	25	51	34.7	41.3	517	535	11
J17008CP0	170	186	176.55	179.42	1767	686	0.2
J16008CP0	160	176	166.55	169.42	1666	662	0.2
J15008CP0	150	166	156.55	159.42	1565	638	0.2
J14008CP0	140	156	146.55	149.42	1465	613	0.18
J13008CP0	130	146	136.55	139.42	1364	588	0.17
J12008CP0	120	136	126.55	129.42	1262	561	0.16
J11008CP0	110	126	116.55	119.42	1162	534	0.15
J10008CP0	100	116	106.55	109.42	1061	507	0.14
J09008CP0	90	106	96.55	99.42	959	478	0.13
J08008CP0	80	96	86.55	89.42	859	448	0.11
J07008CP0	70	86	76.55	79.42	758	417	0.1
J06008CP0	60	76	66.55	69.42	656	384	0.09
J05008CP0	50	66	56.55	59.42	556	350	0.08
J02508CP0	25	41	31.55	34.42	303	255	0.06
K36008CP0	360	376	365.9	370.1	3636	1050	0.46
K34008CP0	340	356	345.9	350.1	3459	1016	0.42

Bearing Number	Dimensions □mm□				Capacities□kg□		Weight □kg□
	Size□mm□		Land Diameters□mm□		Radial□kg□		
	Bore	OD	L1	L2	Static	Dynamic	
K32008CP0	320	336	325.9	330.1	3257	985	0.39
K30008CP0	300	316	305.9	310.1	3055	949	0.35
K25008CP0	250	266	255.9	260.1	2550	853	0.28
K20008CP0	200	216	205.9	210.1	2045	748	0.22
K19008CP0	190	206	195.9	200.1	1944	725	0.21
K18008CP0	180	196	185.9	190.1	1868	709	0.21
K17008CP0	170	186	175.9	180.1	1767	686	0.2
K16008CP0	160	176	165.9	170.1	1666	662	0.2
K15008CP0	150	166	155.9	160.1	1565	638	0.2
K14008CP0	140	156	145.9	150.1	1465	613	0.18
K13008CP0	130	146	135.9	140.1	1364	588	0.17
K12008CP0	120	136	125.9	130.1	1262	561	0.16
K11008CP0	110	126	115.9	120.1	1162	534	0.15
K10008CP0	100	116	105.9	110.1	1061	507	0.14
K09008CP0	90	106	95.9	100.1	959	478	0.13
K08008CP0	80	96	85.9	90.1	859	448	0.11
K07008CP0	70	86	75.9	80.1	758	417	0.1
K06008CP0	60	76	65.9	70.1	656	384	0.09
K05008CP0	50	66	55.9	60.1	556	350	0.08
K02508CP0	25	41	30.9	35.1	303	255	0.06