


Angular Contact Ball Bearings

Single direction angular contact thrust ball bearings



Weight Wgt. lbs	Dimension(Metric)					Bearing
	H	Dg	Dw	Dg	Dw	
751112 MS P/5	60	67	78	85	17	0.628
751113 MS P/5	65	71	84	90	18	0.72
751114 MS P/5	70	76	89	95	18	0.77
751115 MS P/5	75	81	94	100	19	0.86
751116 MS P/5	80	86	99	105	19	0.91
751117 MS P/5	85	91	104	110	19	0.96
751118 MS P/5	90	98	112	120	22	1.43
751120 MS P/5	100	110	126	135	25	1.99
751122 MS P/5	110	120	136	145	25	2.16
751124 MS P/5	120	130	146	155	25	2.34
751126 MS P/5	130	141	160	170	30	3.51
751128 MS P/5	140	151	170	180	31	3.86
751130 MS P/5	150	161	180	190	31	4.1
751132 MS P/5	160	171	190	200	31	4.32

751134 MS P/5	170	182	203	215	34	5.64
751136 MS P/5	180	192	213	225	34	5.93
751138 MS P/5	190	203	227	240	37	7.57
751140 MS P/5	200	213	237	250	37	7.96
751144 MS P/5	220	233	257	270	37	8.67
751148 MS P/5	240	256	284	300	45	14.03

Weight	Dimension(Metric)					Bearing
Wgt. lbs	H	Dg	Dw	Dg	Dw	
751152 MS P/5	260	276	304	320	45	15.04
751156 MS P/5	280	298	332	350	53	22.49
751160 MS P/5	300	322	359	380	62	32.85
751164 MS P/5	320	341	379	400	63	35.28
751168 MS P/5	340	361	400	420	64	37.7
751172 MS P/5	360	381	420	440	65	40.57
751176 MS P/5	380	401	440	460	65	42.55
751180 MS P/5	400	421	460	480	65	44.76
751184 MS P/5	420	441	480	500	65	46.74
751188 MS P/5	440	467	514	540	80	76.94
751192 MS P/5	460	487	534	560	80	80.24
751196 MS P/5	480	507	554	580	80	83.34
7511/500 MS P/5	500	527	574	600	80	86.64